


# LIGEO<sup>™</sup> SL

Modular LED-lighting system that enables multiple two- and threedimensional designs.




From two-dimensional grids to amorphous shapes – both are quick and easy to construct.





Multiple ways of creating threedimensionality – from simple patterns to complex structures.








#### Light bars & hubs

Power feed-in possible at any hub, from which up to 15 m of light bars can be powered.


(or even 30 m, if power feed-in is placed central)








Each hub can host up to 8 light bars. There is a minimum angle of 45° between the light bars.



Stepless **360° rotatability** around the hub.




All light bars can be **tilted up to 180°**.



Available in **5 different sizes** from 300 mm / 11.81 in. to 1500 mm / 59.05 in.

**Install length** – from one hubs center to the other one – additional 95 mm / 3.74 in.

\* discontinued length




Hubs and hinges available in 4 different colors: black, white, gold, silver.

**Aluminum frames** are offered in black or silver anodised and gold finished.




Or **customised colors** to fit the different areas of application:



### Home

The right colortemperature for each area: **LEDs** available from **warm white** to **daylight white**.



## Office

Suitable for work space lighting, offers **1650 lm per meter**.

Steppless **dimming** – for complete constructions or individual sections




## Retail & Gastronomy

Quick and easy to customise or **rearrange**.



Exhibitions, Events & Trade Fairs



The **RGBW version** offers a **high quality white working light** as well as the **full range of RGB colors**.

For large installations or extraordinary lightshows like in clubs or at events – each individual tube can be **controlled by cable using DMX**.

